

ENVIRONMENT CLEARANCE COMPLIANCE REPORT

October 2021- March 2022

For

GRANITE BUILDING STONE QUARRY (Minor Mineral)

Extent: 0.7082 Ha

At

Re.Sy No. : 156

Village : Puthur

Taluk : Thalassery

District :Kannur

State : Kerala,

**‘Granite Building Stone Quarry Project of
Mr. C.G.George’**

File NO. 218/KNR/2017/DEIAA

Dated 23/02/2018

To,

Date: 31.05.2022

The Deputy Director General of Forests (c)

MoEF, Integrated Regional office Kedriya Sadan,
Koramangala, 4th Floor, E&F Wings, 17th Main
Road, Koramangala II Block, Bangalore - 560034

Sub: Environmental Clearance Compliance Report for the period October 2021 – March 2022 pertaining to Granite Building Stone Quarry of Mr. C.G.George.

Ref: Environmental Clearance No: 4/2018 dated: 23/02/2018.

Respected Sir,

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2021 to March 2022 of the EC Granted to 'Granite Building Stone Quarry of Mr. C.G.George' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order.

Thanking you,

Yours truly,

For 'Granite Building Stone Quarry of Mr. C.G.George



Mr. C.G.George
(Owner)

Encl: as above

Cc: The Member Secretary

State Environment Impact Assessment Authority (SEIAA)

Directorate of Environment & Climate Change

4th Floor, KSTRC Bus Terminal,

Thampanoor, Kerala-01

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Introduction

Mr. C. G. George, Chitteth (H), Kuthuparamba P.O., Kannur Dist., Kerala has been granted for a mining lease to quarry Granite Building Stone over an area of 0.7082 Ha. in Sy. Nos: 156 of Puthur Village, Thalassery Taluk, Kannur District, Kerala State.

The Environmental clearance is also obtained for this mining lease vide letter no 218/KNR/2017/DEIAA, Dated: 23/02/2018, for a maximum production of 1,75,103 MTA. A Mining Plan (Including Progressive Mine Closure Plan) for the maximum Production of 154614 Tonnes, under rule 55 KMMCR was submitted & approved vide letter no. DOC/M-4330/09 dated 07.12.2017.

This project area is located on the slope of the hillock gently dipping towards SW. the highest elevation in this area is 100.0m RL and the lowest elevation is 65.0m RL. The general slope of the area is between 10^0 to 17^0 degrees. The granite building stones are very well exposed as outcrop, whereas part of area with lower elevation is covered by top soil of about 0 to 1.0m thickness.

This granite building stone quarry is located at 2.0 Kms from Puthur Village in Thalassery Taluk.,Kannur District. It is at a distance of 35.8 Kms by road from Kannur town. It can be reached via Mutharipeedika - Cheruvancherry Road.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

Description of the project

File No.		218/KNR/2017/DEIAA
Name of the project		GRANITE BUILDING STONE QUARRY (Minor Mineral) of Mr.C. G. George
District and state	:	Kannur, Kerala
Taluk / Mandal	:	Puthur
Village	:	Thalassery
Category & Schedule		B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	:	Sy. Nos:156
Extent of Area		0.7082 Ha
Ownership / Occupancy	:	Private Land
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	:	The nearest railhead – Thalassery (15 Kms) and Nearest airport – Kannur which is 14.8 Kms from the mine.
Latitude & Longitude	:	N 11°47'23.81" to N 11°47'29.48" E 75°36'47.12" to E 75°36'52.19"
Address of Registered office		Shri.Mr.C. G. George, Chitteth (H), Kuthuparamba P.O., Kannur District, Kerala. Mob: +91 9544400106 Email: geosandin@gmail.com

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Compliance Status of the General Conditions for Mining Projects Laid down by the State Environment Impact Assessment Authority, Kerala vide their Environment Clearance No. 4/2018 Dated 23/02/2018.

Part A – Specific Conditions

1	A Mines manager shall be appointed to control, direct, manage and supervise the Quarrying operations as required under the Mines Act, 1952.	Complied
---	---	----------

Compliance:

A Mines manager is appointed to supervise Quarrying Operations.

2	Health and welfare measures for the persons employed shall be implemented.	Complied
---	--	----------

Compliance:

Health and welfare measures for the employees are implemented and ensured.

3	Controlled blasting should be practiced and blasting shall be done only during day time. The mitigation measures for control of ground vibrations to arrest the fly rocks and boulders should be implemented.	Noted.
---	---	--------

Compliance:

Controlled blasting is practiced and Blasting is done only during daytime. Blasting time is displayed in the sign board. Photo of the Sign Boards is attached as **Annexure-1**. All precautionary measures are adopted while blasting operations are carried out.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

4	Plantation shall be done which includes a green belt of adequate width around the Mining Lease area excluding the rocky area, along roads, overburden dumps and non-mineralized area by planting suitable native species in consultation with the local DFO/Agriculture Department.	Noted
---	---	-------

Compliance:

A green belt of a width of 7.5 mts is maintained along the periphery of the Lease area by planting saplings in consultation with the local DFO/ Agriculture Department.

5	The drains should be regularly de silted and maintained properly. Check dam and gully checks shall be constructed wherever required to arrest siltation. De siltation shall also be done every year before the onset of monsoon.	Agreed
---	--	--------

Compliance:

The drains will be constructed and will be properly maintained.

6	Fencing must be maintained properly all around the lease area.	Complied
---	--	----------

Compliance:

The entire lease area is fenced and is well maintained. Photos are enclosed as **Annexure-2.**

7	The CSR should cover the felt needs of the locality with special emphasize for implementing ground water recharging techniques in and at the vicinity of the proposed site.	Complied
---	---	----------

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

Compliance:

Several CSR activities were carried out by the Project proponent covering Medical Aids, House construction Aids, CCTV fitting etc. the details and photos of CSR activities were enclosed as **Annexure-5**.

8	Appropriate sign boards should be displayed.	Complied
---	--	----------

Compliance:

Signboards are displayed at prominent places. Photos of the sign boards were enclosed as **Annexure-1**.

9	The blasting time must be displayed and strictly adhered to.	Complied
---	--	----------

Compliance:

Blasting time is displayed and is strictly followed. Photo of the Sign board is enclosed as **Annexure-1**.

10	Dust suppression mechanism must be in place	Complied
----	---	----------

Compliance:

Water tankers with sprinklers are in use for dust suppression.

11	A separate small plot to be maintained in the premise to preserve rare and endemic species, if any, listed in the biodiversity assessment etc.	Noted
----	--	-------

Compliance:

No rare and endemic species is present in the lease area.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

12	The PPV values must be less than 10 mm/sec	Complied
----	--	----------

Compliance:

PPV values are kept below 10 mm/sec.

13	The green belt shall be provided around the periphery	Complied
----	---	----------

Compliance:

Green belt of 7.5 mts width has been provided along the periphery of the lease.

14	Where the height of the bench formed during earlier workings exceeds the maximum reach of the excavator engaged for work, such bench height shall be reduced from top to bottom.	Considered
----	--	------------

Compliance:

Height of benches will be maintained as specified in the approved Mining Plan.

15	Loose or hanging rock or mineral boulder on the side wall shall be dressed down before engaging persons for work at the bottom of the bench	Considered
----	---	------------

Compliance:

Benches will be properly dressed by excavators and safety is ensured while employees are at the site.

16	Permanent boundary pillars should be fixed by the proponent before commencing quarrying.	Complied
----	--	----------

Compliance:

Permanent boundary pillars have been erected. Photos are attached as **Annexure-2**.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

17	No Quarry blasting to be undertaken and sustained till warning time limit expires and/or when continuous 48 hours cumulative rainfall exceeds 8 cm and blasting shall not be resumed until 24 hrs of rain free situation arises in the quarry locality based on the evaluation by the revenue officials	Agreed.
----	---	---------

Compliance:

No Quarry blasting will be undertaken and sustained till warning time limit expires and/or when continuous 48 hours cumulative rainfall exceeds 8 cm and blasting shall not be resumed until 24 hrs of rain free situation arises in the quarry locality based on the evaluation by the revenue officials.

18	All waste dumps and topsoil dumps shall be properly stabilized by using coir mats or bio-regeneration. Proper drainage system shall be provided so that water is properly diverted away from the dumps slopes with no disturbance to the stability of the slopes.	Agreed
----	---	--------

Compliance:

Coir mats will be used to cover waste dumps. Proper drainage system will be provided for diverting the water from dump slopes.

19	All dump slopes shall be sufficiently stabilized by using appropriate species mix of grass, creepers, shrubs & trees. This shall be done in consultation with the Forest Department and local research institutes and experts in stabilization of mine dumps.	Noted
----	---	-------

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Compliance:

All dump slopes will be stabilized as specified with grass, creepers, shrubs and trees.

20	Garland drains of at least 2m width shall be provided all along 7.5m buffer zone to divert the water from entering the Quarry slopes. These drains shall be cleaned every year before the monsoon season	Noted
----	--	-------

Compliance:

Garland drains of 2m width will be constructed.

21	The water from the garland drainage shall be directed to the silt settling ponds. The clarified overflow from silt settling ponds, shall be directed to a Rain Water Harvesting (RWH) pond before releasing the clarified water to the natural watercourse.	Agreed
----	---	--------

Compliance:

All necessary structures will be constructed. The water from the garland drainage will be directed to the Silt Settling Ponds. The clarified overflow from silt settling ponds, will be directed to a Rain Water Harvesting (RWH) pond before releasing the clarified water to the natural watercourse. Only clear natural water is let out into the natural water course

22	A retaining wall of stone rubble with wire mesh of sufficient width and strength (not less than 2m) shall be constructed at the bottom of the slope of the Quarry Lease area to arrest any likely roll of boulders during heavy rainfall.	Noted
----	---	-------

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Compliance:

Retaining Wall will be constructed.

23	Since it is a working quarry with quarrying lease the committee observed that the mining activity should not be done on the SW side of the quarry because the loose overburden may fall on the quarry site.	Noted
----	---	-------

Compliance:

The mining activity will not be done on the SW side of the quarry.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Part B – General Conditions of Health

1	First Aid kit provided in the work site. It shall be periodically maintained properly. Some Laboure's shall be trained on First Aid.	Complied
---	--	----------

Compliance:

First Aid kits are provided in the work site and key personnel are trained to render first aid in case of emergencies.

2	Wholesome drinking water should be provided.	Complied
---	--	----------

Compliance:

Wholesome drinking water is provided

3	Premises should be maintained as wet to suppress the dust	Complied
---	---	----------

Compliance:

Premises are maintained as wet using water tankers with sprinklers to suppress the dust.

4	Sanitary type of latrines and urinals should be provided.	Complied
---	---	----------

Compliance:

Latrines and urinals are provided

5	Resting place should be provided for workers.	Complied
---	---	----------

Compliance:

Resting place is provided to workers.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

6	'No Smoking' board should be exhibited according to COTPA Act	Agreed
---	---	--------

Compliance:

'No Smoking' board is displayed. Photo of the Sign board is enclosed as **Annexure-1**.

7	Work should not be done in night.	Complied
---	-----------------------------------	----------

Compliance:

Work is done only during daytime.

8	Details of nearest hospital, shortest route to hospital and contact no. etc. should be available.	Agreed
---	---	--------

Compliance:

Emergency contact numbers of Key persons, Hospitals, police station, etc. will be prominently displayed

9	Approach roads should be maintained properly	Complied
---	--	----------

Compliance:

Approach roads are well maintained. Water tanker with sprinklers were used to suppress the dust on roads.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

Part C- General Conditions

1	Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.	Agreed
---	---	--------

Compliance:

Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. A Rainwater harvesting facility will be installed.

2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Complied
---	--	----------

Compliance:

Environment monitoring cell is formed and is made functional.

Sl No.	Name	Post
1	Head of Monitoring Cell	C.G.George
2	In charge	Petla Sanyasinaidu
3	Member	Sumesh K.P.
4	Member	Vipin P.K.

3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads	Noted
---	--	-------

Compliance:

Suitable Avenue trees will be planted along either side of the road & parking areas.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Noted
---	--	-------

Compliance:

Solar Energy generation and utilization will be adopted.

5	Sprinklers shall be installed and used in the project site to contain dust emissions.	Complied
---	---	----------

Compliance:

Water Tankers with sprinklers are used in project site to control dust emission.

6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	Noted
---	---	-------

Compliance:

Plantation of various saplings within the project area will be done. The mine closure plan will be prepared as agreed by the project proponent

7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.	Agreed
---	--	--------

Compliance:

After Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & overburden and indigenous plant species will be planted.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented	Complied
---	--	----------

Compliance:

CSR activities are implemented as agreed by the Proponent. Details of the CSR activities were enclosed as **Annexure-5**.

9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.	Complied
---	--	----------

Compliance:

Lease area is fenced off. Sign boards have been erected at prominent places.. Photos are attached as Annexure-1 & 2.

10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Noted
----	---	-------

Compliance:

Warning alarms indicating the time of blasting will be arranged. Blasting time and safety boards have been erected at all entrance to the mine. Photos of the Sign boards were enclosed as **Annexure-1**.

11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Agreed
----	--	--------

Compliance:

➤ Noise and vibration control measures is implemented by adapting controlled

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

blasting.

- Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks.
- Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area

12	Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.	Noted
----	---	-------

Compliance:

Quarrying activities are limited to day time only as per KSPCB guidelines.

13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Complied
----	--	----------

Compliance:

Controlled blasting is done as per regulations.

14	A licensed person should supervise/ control the blasting operations.	Complied
----	--	----------

Compliance:

Blasting supervision/control is done by a Mining Official having DGMS Certificate.

15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Agreed.
----	---	---------

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

Compliance:

Access road to the Quarry will be tarred to control dust emissions. Water tanker with sprinklers is used to suppress the dust.

16	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.	Noted
----	---	-------

Compliance:

Overburden material will be stacked very close to the site for future use of reclamation and green belt afforestation.

17	Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/specific condition.	Noted
----	---	-------

Compliance:

The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.

18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Noted
----	--	-------

Compliance:

Mats will be laid down on the top of the charged holes area to control the fly rock and kept below 10PPV.

19	Maximum depth of mining from general ground level at site shall not exceed 10m	Noted
----	--	-------

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

Compliance:

The Mining process will be carried out following the approved mining plan. Therefore, mining depth does not exceed beyond 10m.

20	No mining operations should be carried out at places having a slope greater than 45°	Noted
----	--	-------

Compliance:

No mining operation will be carried out at place having a slope greater than 45°

21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Agreed
----	---	--------

Compliance:

Crusher unit is not installed within Mining Lease.

22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	Considered
----	---	------------

Compliance:

Requisite Personal Protective equipment's (PPE's) is provided to all employees.

23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Agreed
----	---	--------

Compliance:

Garland drains with clarifiers will be constructed to channelize the storm water.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Complied
----	--	----------

Compliance:

All trucks transporting material are covered by firmly tied tarpaulin.

25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project	Noted
----	--	-------

Compliance:

Plantations of about 5 times the loss that has been occurred while clearing the land will be done.

26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations	Noted
----	--	-------

Compliance:

Spent oil is reused as a lubricant for drilling.

27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Complied
----	---	----------

Compliance:

Explosives is stored in a Licensed Explosives Magazine, which is approved by PESO. Copy of the Explosive license is attached as **Annexure-6**.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

28	A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	Complied
----	--	----------

Compliance:

No dwellings are situated within 100m from the boundary of the quarry.

29	100 m buffer distance should be maintained from forest boundaries.	Considered
----	--	------------

Compliance:

Mining area is not located near any forest areas.

30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Obtained
----	--	----------

Compliance:

Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the consent is attached as **Annexure-7**.

31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Complied
----	--	----------

Compliance:

All required statutory clearances are obtained.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

32	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	Noted
----	--	-------

Compliance:

There is no change in the scope of the project.

33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed
----	--	--------

34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Agreed
----	---	--------

35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular	Complied
----	---	----------

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

	language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	
--	---	--

Compliance:

Advertisements informing EC accordance to the Project is done in 2 newspapers and was submitted in earlier reports.

36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	Noted
----	--	-------

Compliance:

A copy of the Clearance is submitted to the Concerned authorities. Copy of the Panchayat License is attached as **Annexure – 8**.

37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and	Noted
----	---	-------

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

	upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.	
--	---	--

Compliance:

Half yearly compliance reports are submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF & CC, Bangalore.

38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Complied
----	--	----------

Compliance:

Details of Environmental Clearances is prominently displayed at the entrance to the Mine. Photo of the Sign board is enclosed as **Annexure-1**.

39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Complied
----	---	----------

Compliance:

Notarized affidavit is Submitted

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

40	No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Noted
----	--	-------

Compliance:

Prior approval from the SEIAA will be sought in case of change of mining technology.

41	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Noted
----	---	-------

Compliance:

No natural water course is obstructed. Necessary safeguard measures are taken to protect first order streams if originating from the mining lease in the future.

42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions	Noted
----	--	-------

Compliance:

Monitoring of Ambient Air Quality will be carried out. Monitoring Photos and Monitoring Reports have been attached as **Annexure-3 &4**. Water sprinkling is done in loading and unloading points & transfer points using water takers with sprinklers.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

43	The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	Noted
----	---	-------

Compliance:

Available top soil will be used at the green belt for plantation. OB generated will be stacked separately and is vegetated with locally available shrubs and grasses.

44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.	Noted
----	---	-------

Compliance:

Catch drains and siltation ponds will be made around the mining workings, mineral

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

and the water from the drain is directed to the Rain Water Harvesting Pond. The water from RWHP will be utilized for watering the mine area, roads, green belt development. etc. The drains will be regularly de silted particularly after monsoons and maintained properly.

45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul Road, loading and unloading points and transfer points – it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Complied
----	---	----------

Compliance:

Regular water sprinkling is done on all necessary roads with water tankers and sprinklers.

46	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Complied
----	---	----------

Compliance:

Fugitive dust emissions are controlled by using water tankers with sprinklers.

47	Measures should be taken for control of noise levels below 85 dBA in the work environment.	Noted
----	--	-------

Compliance:

Adequate measures for noise control have been adopted.

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

48	A separate environmental management cell with suitable qualified personnel should be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.	Complied
----	---	----------

Compliance:

An Environment Management Cell has been set up with Mr. C G George as the head of the Cell.

49	The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office	Complied
----	--	----------

Compliance:

The funds earmarked for environment protection measures and CSR activities Shall be kept in a separate account and will not be diverted for other purpose. Photos of the CSR receipts are enclosed as **Annexure-5**.

50	The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed
----	--	--------

51	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green	Agreed.
----	---	---------

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

	Tribunal Act, 2010.	
52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed
53	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Agreed
54	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed
55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	Agreed
56	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Agreed

Compliance Report for the period of October 2021-March 2022

Granite Building Stone Quarry Project of Mr. C.G George

57	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	Noted
----	--	-------

Compliance:

Mining operations will be restricted to above ground water table and due care will be taken so as not to intersect ground water.

58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be inside the lease area	Complied
----	---	----------

Compliance:

It is ensured that all transportation vehicles have 'PUC' Certificate issued by an authorized Pollution checking center. All the vehicles are washed inside the lease area.

59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project	Noted
----	---	-------

Compliance:

There is no need for Drawl of Surface and ground water for the project activities.

60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA	Noted
----	---	-------

Compliance:

No perennial nallah flows through the lease or exist around the Mine Lease.

Compliance Report for the period of October 2021-March 2022
Granite Building Stone Quarry Project of Mr. C.G George

61	Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied
----	---	----------

Compliance:

Occupational health surveillance are undertaken periodically.

For Granite Building Stone Quarry of Mr. C. G. George



Mr. C. G. George

Date:31.05.2022







BOUNDARY PILLARS & FENCING

Annexure-2









GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET - 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in



GEMS-LD/TF/11/01

Date: 11.01.2022

Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	:	Granite Building Stone Quarry of Sri. C. G. George Extent: 0.7082 Ha Sy.No. 156 Puthur Village, Thalassery taluk, Kannur District, Kerala State.
2	Sample Description	:	Ambient Air Quality Monitoring
3	Sample Collected By	:	GLOBAL Environment & Mining Services
4	Duration of the Monitoring	:	24 Hour of Sampling
5	Location of Monitoring	:	(A1) Core zone
6	Report No	:	ULR-TC532322000000804F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	07.01.2022	59.2	28.9	21.6	16.1	BDL
NAAQ Standards 2009		100	60	80	80	1.0

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)

NO2 - IS 5182 (Part 6): 2006 (RA 2017) BDL (<5.0)

Lead - IS 5182 (Part 22): 2004 (RA 2014)

BDL - Below Detectable Limit.

J.M. Thippeswamy

Analyzed By
J.M. Thippeswamy
Chemist



Authorized Signatory
K. Ramakrishna Reddy
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET - 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in



GEMS-LD/TF/11/01

Date: 11.01.2022

Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	Granite Building Stone Quarry of Sri. C. G. George Extent: 0.7082 Ha Sy.No. 156 Puthur Village, Thalassery taluk, Kannur District, Kerala State.
2	Sample Description	: Ambient Air Quality Monitoring
3	Sample Collected By	: GLOBAL Environment & Mining Services
4	Duration of the Monitoring	: 24 Hour of Sampling
5	Location of Monitoring	: (A2) BufferZone
6	Report No	: ULR-TC532322000000805F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	08.01.2022	50.1	24.9	18.6	13.9	BDL
NAAQ Standards 2009		100	60	80	80	1.0

Note: No Mining activities during the period of Monitoring.

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)

NO2 - IS 5182 (Part 6): 2006 (RA 2017) BDL (<5.0)

Lead - IS 5182 (Part 22): 2004 (RA 2014)

BDL - Below Detectable Limit.

J.M. Thippeswamy

Analyzed By
J.M. Thippeswamy
Chemist

RKR
Authorized Signatory
K. Ramakrishna Reddy
Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
 HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in



GEMS-LD/TF/11/01
 Date: 11.01.2022

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

- 1 Name of the Customer/Address : Granite Building Stone Quarry of
Sri. C. G. George
 Extent: 0.7082 Ha
 Sy.No. 156
 Puthur Village, Thalassery taluk,
 Kannur District, Kerala State.
- 2 Sample Description : **Ambient Noise Level monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Noise Level Meter (Equinox-107)
- 5 Duration of the Monitoring : 24 Hours Sampling
- 6 Date of Analysis Completion : 08.01.2022
- 7 Report No : ULR-TC532322000000806F

Result

Date	07.01.2022	08.01.2022
Name of the Location	Core Zone	Buffer Zone
Time (hrs)	N1	N2
6.00	42.8	43.7
7.00	45.1	44.2
8.00	45.7	43.7
9.00	50.7	48.6
10.00	52.8	50.4
11.00	56.4	54.1
12.00	54.8	51.7
13.00	55.4	53.4
14.00	57.1	55.2
15.00	56.3	53.8
16.00	55.8	52.7
17.00	57.9	56.2
18.00	53.7	50.7
19.00	48.7	46.5
20.00	44.5	45.2
21.00	43.1	44.1
22.00	42.8	41.7
23.00	40.1	42.9
00.00	38.2	39.2
01.00	37.4	38.5
02.00	36.8	37.3
03.00	36.4	37.8
04.00	35.2	35.4
05.00	36.8	35.9

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey.

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSPET - 583201, Dist., Bellary (Karnataka)
Ph : +91 8394 229433 & 295018
e-mail : gems_hpt@yahoo.com,
Website : www.globalmining.in



ULR-TC532322000000806F		
L max	57.9	56.2
L min	35.2	35.4
Ld	54.2	51.7
Ln	39.3	40.09
Ldn	53.0	51.2

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10:00 pm
	Night time shall mean from between 10:00 pm and 5:00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is related to human hearing
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
Leq: It is energy mean of the noise level over a specified period.	

RKP
Authorized Signatory
Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in



GEMS-LD/TF/11/01
 Date: 11.01.2022

ANALYSIS REPORT OF WATER QUALITY DATA

1 Name of the Customer/Address :

Granite Building Stone Quarry of

Sri. C. G. George

Extent: 0.7082 Ha

Sy.No. 156

Puthur Village, Thalassery taluk,

Kannur District, Kerala State.

2 Sample Collected By :

: GLOBAL Environment & Mining Services

3 Sampling Method :

: Grab Sample

4 Date of sample collection :

: 07.01.2022

5 Date of sample Received :

: 10.01.2022

6 Date of sample Analyzed :

: 11.01.2022

7 Report Number :

: ULR-TC53232200000807F

Result

Sl. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS : 10500 : 2012	
					Acceptable	Permissible
1.	pH	-	7.54	APHA 22 nd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	1.29	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	µS/cm	187	APHA 22 nd Edition 2012 2510 B (Pg No. 2-54)	-	-
7.	Total Dissolved Solids	mg/L	207	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	69	APHA 22 nd Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	164	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	61	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	8.7	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	18.6	APHA 22 nd Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO ₄	mg/L	124	APHA 22 nd Edition 2012 4500 SO42 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	7.9	APHA 23 rd Edition - 4500 NO ₃ – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO ₃	mg/L	31	APHA 22 nd Edition 2012 4500 NO3 E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET - 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in



Ministry of Environment, Forest
and Climate Change

ULR-TC532322000000807F

15.	Fluoride as F	mg/L	0.62	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.33	APHA 23 rd Edition - 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	7.4	APHA 23 rd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	-	-
18.	Potassium as K	mg/L	0.86	APHA 23 rd Edition 3500 K B (Pg No. 3-89 to 3-90)	-	-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) - 1993, RA-2014,	-	-
20.	COD as O ₂	mg/L	NIL	APHA 23 rd Edition 5220 C (Pg No. 5-18 to 5-19)	-	-
21.	Oil & Grease	mg/L	NIL	APHA 23 rd Edition 5520 B (Pg No. 5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 RD Edition-3111-B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 RD Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	-	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 RD Edition 4500-D (Pg No. 4-154)	-	-
28.	Total Coliforms*	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 B (Pg No.9-78)	-	-
29.	Faecal Coliforms	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	-	-
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 rd Edition 10200 F (Pg No.10-17)	-	-

Note: BDL Below Detectable Limit

Ag: Agreeable

NR: No Relaxation

RA: reaffirmed

Ab: Absent

****End of report****

J.M. Te
Analyzed By
 Chemist

RXP
Authorized Signatory
 Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.

CSR ACTIVITIES & RECEIPTS

Annexure-5

C G George ,Puthur Village-CSR Activities from 1/10/2021-31/03/2022

Date	CSR Activity	Amount (Rs)
18/12/2021	CCTV fitting (Rural Development)	50000
20/11/2021	Deepesh K Medical Treatment (Medical Aid)	5000
28/2/2022	Sri Muthappan madappura	5000
18/1/2022	Poovathur Sri Mahavishnu kshethram	20000
9/1/2022	Mahesh Driver Medical Aid	5750
14/1/2022	Facist virudha munnani	3000
15/3/2022	Pathikkal Sri Kanyad Muthappan madappura thiruvappana	1500
26/11/2021	Vadakke Poyilur Kuniyil Nanu Medical Treatment (Medical Aid)	50000
House Construction Aid	Sivaraman, Amari ayyath house ,27TH Mile, Poolakutty	25000
Total		165250/-

വടക്കേപൊയിലൂർ കുനിയിൽ നാണു
ചികിത്സ സഹായ ഫണ്ട്

നമ്പർ. 760

തീയതി... 26.11.2021

ശ്രീ / ശ്രീമതി ... പി.ജി. ഓൾഡ്

അവർകളിൽ നിന്നും ... അമ്പതിനായിരം രൂപ

സംഭാവനയായി കിട്ടി ബോധിച്ചു.

₹ 50000/-

സ്വകൃതി



പുതുത്തൂർ ശ്രീ മഹാവിഷ്ണുക്ഷേത്രം
ചെറുമ്മത്തേരി

പ്രതിഷ്ഠാ
മഹോത്സവം

2022 മാർച്ച്
11-19
വരെ



No:

784

തീയതി... 18/1/22

ശ്രീ / ശ്രീമതി ... പി.ജി. ഓൾഡ്

അവർകളിൽനിന്ന് ... ഇരുപതിനായിരം രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 20000/-

ചെയർമാൻ / കൺവീനർ

കെ. ദീപേഷ് ചികിത്സാ സഹായ നിധി

നമ്പർ: 152 തീയതി: 26/11/2021
ശ്രീ/ശ്രീമതി പി.ജി. ഭാസ്കരജി

അവർകളിൽ നിന്ന് ചികിത്സാ സഹായ ഫണ്ടിലേക്ക് 5000/-
രൂപ നന്ദിപുരവും കിട്ടിയിട്ടുണ്ട്.

കെ. ദീപേഷ്
ആലപ്പുഴ ഹൗസ്, കണ്ണൂർ - 670650
ഫോൺ : 9562 934 299, 9496 834 187

₹: 5000/-

ദീപേഷ് ചികിത്സാ സഹായ കമ്മിറ്റി

CI-114



മഹേഷ് ഡ്രൈവർ ചികിത്സാ സഹായ നിധി

ചേരിക്കൽ

നമ്പർ: 09/01/22

സംഭാവന റസീറ്റ്

333
ശ്രീ / ശ്രീമതി പി.ജി. ഭാസ്കരജി അവർകളിൽ

നിന്നും മഹേഷ് ഡ്രൈവർ ചികിത്സാ സഹായത്തിനു വേണ്ടി.....

രൂപ സംഭാവനയായി നന്ദിപുരവും കൈപ്പറ്റി.

₹ 5750

എസ്.
കണ്ണൻ
ചികിത്സാസഹായ കമ്മിറ്റി
വെ



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो)

PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)

कार्यालय उप-मुख्य विस्फोटक नियंत्रक

OFFICE OF THE DEPUTY CHIEF CONTROLLER OF EXPLOSIVES

केन्द्रीय भवन, काकनाड, एरनाकुलम, कोची, (केरल) - 682037

Kendriya Bhavan, Kakkanad, Ernakulam, Kochi, (KERALA) - 682037

Fax: (0484)2427276, Ph: 2427286, 2427296

No. E/SC/KL/22/746(E32353)

Dated: 11.01.2010

To

✓ Shri C.G. George
Chitteth House
Koothuparamba P.O.
Kannur Dist

Sub: Explosive Magazine at Sy.88/1, Kolavallur, Thalassery, Kannur Dist. Licence No. E/SC/KL/22/746(E32353) in Form LE-3- your request for permission to use Explosives for extraction of Building Stone/ Granite - Reg.

Dear Sir,

It is noted that you have been issued quarrying lease Nos. 503/2009-2010/9867/M3/2009 and 504/2009-10/9868/M3/2009 dated 05.1.2010 by the Director of Mining and Geology, Trivandrum for extraction of Minor Minerals from Sy. No. 156 and 151/1 of Puthur Village, Thalassery Tk., Kannur District respectively under Kerala Minor Mineral Concession Rules, 1967.

The extraction of building stone/granite using explosives comes under the purview of Mines Act, 1952 and the use of explosives in areas coming under Mines Act is governed by Metaliferrous Mines Regulations, 1961. The competent authority for the administration of the above Act and regulations framed there under for the State of Kerala is Director of Mines Safety, Chennai. The applicability of Explosives Rules, 1983 is limited to that the explosives used in blasting operations in areas coming under Mines Act shall be of a class and make authorized by Chief Controller of Explosives, Nagpur and such explosives shall be stored in an explosive magazine duly licensed under Explosives Rules, 1983.

You may obtain necessary licenses/ clearance from various statutory bodies for extraction of minor minerals as mentioned below:

1. The Quarrying permits/lease under Kerala Minor Mineral Concession Rules, 1967 revaldated from time to time.
2. Permission/clearance from State Pollution Control Board under Environment (Protection) Act, 1986.
3. Licence from local Panchayat under Panchayat Act.
4. Permission/clearance under Mines Act, 1952.

Subject to the compliance of the above requirements as far as this office is concerned there would be no objection to the use of explosives from the subject magazine for extraction of minor minerals

This permission may be deemed to be withdrawn if any of the conditions subject to which the permission has been granted, has not been complied with/ violated. You may submit the copies of permissions/ licenses obtained under the above statutes for reference and record of this office.

Yours faithfully,

(C.R. Surendranathan)

Dy. Chief Controller of Explosives.

Copy to:

1. The Jt. Chief Controller of Explosives, South Circle, Chennai.
2. The District Magistrate/ Addl. District Magistrate, Kannur Dist.



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276
ई-मेल Email: dycceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/746(E32353)

दिनांक (Date): 07/02/2019

सेवा में | To,

Shri C.G.George,

Chattath House, Kuthuparamba post, Town/Village - Kuthuparambu
District-KANNUR, State-Kerala, Pincode - 670643

8 FEB 2019

विषय : Survey No(s).88/1, ग्राम Kolavallur, Thalassery Tk., जिला KANNUR, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/746(E32353) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of of Explosives from magazine situated at Survey No(s).:88/1, Kolavallur, Thalassery Tk., Dist. KANNUR, Kerala - Licence No.: E/SC/KL/22/746(E32353) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 30/01/2019 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2024 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 30/01/2019, the subject licence duly renewed upto 31/3/2024 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2024 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2024.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्क का बैंक ड्राफ्ट। बैंक ड्राफ्ट किसी भी राष्ट्रीयकृत बैंक के नाम आहरित, संयुक्त मुख्य विस्फोटक नियंत्रक, चेन्नई के पक्ष में चेन्नई में देय हों।
Licence fees for one to five years in the form of demand draft drawn on any Nationalized Bank in favour of Jt. Chief Controller of Explosives, Chennai payable at Chennai.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाए। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)। Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

आपके खाते में रुपए 1840/- की राशि शेष हैं जो इस संदर्भ को उद्धृत करते हुए भविष्य के संचयवहार में समायोजित की जा सकती है।

An amount of Rs. 1840/- balance is in your credit, which may be utilized for future transaction by quoting this reference.

भवदीय | Your's faithfully

(आर.वेणुगोपाल | Dr. R.Venugopal)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

Deputy Chief Controller of Explosives

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. जिला मजिस्ट्रेट (District Magistrate), KANNUR (Kerala)- सूचना के लिए (for information.)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)


(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/746(E32353)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

Shri C.G.George (अधिभोगी / Occupier : C G George), Chittath House, Kuthuparamba post, Town/Village - Kuthuparambu, District-KANNUR, State-Kerala, Pincode - 670643

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Individual**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

Licence is valid only for the following purpose.

: possess for use of Nitrate Mixture, Safety Fuse, Electric Detonators, Ordinary Detonator, के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	150 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Electric Detonators	6,3	0	2500 Nos.
4.	Ordinary Detonator	6,3	0	5000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

: 26 times
as above.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] :

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/746(E32353)
दिनांक (Dated) 16/12/2005

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No(s). 88/1, ग्राम (Town/Village) : Kolavallur, Thalassery Tk.

जिला (District)

KANNUR

दूरभाष (Phone)

राज्य (State)

ई. मेल (E-Mail)

Kerala

पुलिस थाना (Police Station) : Kolavallur

पिनकोड (Pincode)

फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following facilities.

: One Mini Explosives Magazine & Detonator Room

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्त शर्तें।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2007 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2007.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा

उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंवत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not

found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 16/12/2005

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/08/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 22/07/2014
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 13/01/2015
- Amendment in Drawings/Facilities/Premises dated : 23/08/2016
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 22/12/2017

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
07/02/2019	31/03/2024	Dy. Chief Controller of Explosives, Ernakulam उप मुख्य विस्फोटक नियंत्रक Deputy Chief Controller of Explosives एरणाकुलम Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**KERALA STATE POLLUTION CONTROL BOARD**

FILE NO. :PCB/KNR/ICO/672/2010

Date of issue :10/01/2022

INTEGRATED CONSENT TO OPERATE - RENEWAL**Consent No : PCB/KNR/ICO-R2/02/2022****Ref : Consent No:PCB/KNR/ICO-R/1103/2019 Dated:04.04.2020 Validity:31.12.2021**

The ' Integrated Consent to Operate' issued as per reference above to M/s UARRY OWNED BY SRI. C.G.GEORGE,CHENDAYAD, PANOOR, KANNUR DT - 670692 is hereby renewed up to 08/03/2024 and issued to M/s UARRY OWNED BY SRI. C.G.GEORGE,CHENDAYAD, PANOOR, KANNUR DT - 670692 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	VALIDITY	08.03.2024
2	FEE REMITTED	Rs.11600/-
3	CAPITAL INVESTMENT	25 Lakh
4	ANNUAL FEE	Rs.5300/-
5	CATEGORY	Red

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

The application for the renewal shall be submitted on or before 07.12.2023

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

ANITA KOYAN

Digitally signed by ANITA KOYAN
Date: 2022.01.10 18:43:31 +05'30'

DATE :10/01/2022

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER,DISTRICT
OFFICE,KANNUR




To

C.G. GEORGE,
CHITTETH HOUSE,
KUTHUPARAMBA,
KANNUR

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



നമ്പർ: 3/2020-2021/A-5/1863/2020

തീയതി: 01/04/2020

കുന്നോത്ത്പറമ്പ് ഗ്രാമപഞ്ചായത്ത് ഗ്രാമപഞ്ചായത്ത്

തുവക്കുന്ന് പി.ഒ., കണ്ണൂർ (ജില്ല)

പിൻ: 670693, ഫോൺ: 4902391430, ഇ-മെയിൽ: secretaryknp@gmail.com

വ്യവസായം, വാണിജ്യം, സംരക്ഷണം, മറ്റ് സേവനങ്ങൾക്കുള്ള
ലൈസൻസ്

(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെപേര്	സി ജി ജോർജ്ജ്		
ലൈസൻസിയുടെ മേൽവിലാസം	ചിറ്റേത്ത് ഹൗസ്, കുന്നോത്ത്പറമ്പ് പി ഒ		
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	M/s QUARRY OWNED BY GEORGE, CHENDAYAD, PANOOR, KANNUR DIST		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ ഖനനം നടത്തുന്നതിന്		
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	II/RS NO 156 Puthur Village		
ലൈസൻസ് കാലാവധി	01/04/2020 മുതൽ 31/03/2024 വരെ		
ലൈസൻസ് ഫീസ് മോട്ടോർ ഫീസ് തൊഴിൽ നികുതി	തുക	രസീത് നമ്പർ	തീയതി
	5000 /- രൂപ	118040110153	18/03/2019

ലൈസൻസ് അനുവദിക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)

1. പൊലുഷൻ കൺട്രോൾ ബോർഡിന്റെ 30/09/2019 ലെ PCB/KNR/ICO/672/2010 നമ്പർ നിരാക്ഷേപ പത്രം, (VALIDITY 31/12/2021))കാലാവധി അവസാനിക്കുന്നതിനനുസരിച്ച് പുതുക്കാത്തപക്ഷം ലൈസൻസ് റദ്ദാവുന്നതാണ്.
2. എക്സ്പ്ലോസീവ് ലൈസൻസ് Peroleum and explosive safety organisation No.E/SC/KL/22/746(E32353),Dated:07.02.2019, Validity 31.03.2024,)കാലാവധി അവസാനിക്കുന്നതിനനുസരിച്ച് പുതുക്കാത്തപക്ഷം ലൈസൻസ് റദ്ദാവുന്നതാണ്.
3. Quarrying Lease Validity -15/01/2022,)കാലാവധി അവസാനിക്കുന്നതിനനുസരിച്ച് പുതുക്കാത്തപക്ഷം ലൈസൻസ് റദ്ദാവുന്നതാണ്.



PRASAD, V. V.
Secretary

Kunnothparamba Grama Panchayat

കുന്നോത്ത്പറമ്പ് ഗ്രാമപഞ്ചായത്ത് ഗ്രാമപഞ്ചായത്ത്

Kannur Dt. Pin. 670693

Ph. 9496049130

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- 1 കേരള പഞ്ചായത്ത് രാജ് ആകട്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാക്കാത്ത വിധത്തിലും വൃപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാക്കാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 8 ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമാ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് റിയിക്കേണ്ടതാണ്.
- 10 അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപക്ക് രോഗമോ കുഷ് രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കെ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയോഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്റ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ബ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.



PRASAD V.
Secretary

കുന്നോത്ത്പറമ്പ് ഗ്രാമപഞ്ചായത്ത് (Kannothparamb Gramapanchayat)

P. O. Thuvakkunnu
Kannothparamb Gramapanchayat
Ph. 9496049130

N.B:- ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.